

PROGRAMME 1D: FIELD PARAMETERS IN FRESH WATERS

The materials are suitable for the check of analyses in public drinking waters, spring waters and non-atypical natural mineral waters.



240 € excl. VAT – total amount for 2 tests (excluding transport costs)

Price unchanged for 6 years

163 participants in 2021 – EXPERIENCE > 10 YEARS



Need to test another method, evaluate your staff?

Order **additional test samples** (parcel in its entirety): **60 € excl. VAT** (excluding transport costs)

Parameters to analyse

(implemented in each proficiency test)

22M1D.1 - Clean water - sent in January 2022 - Refrigerated parcel

conductivity, free chlorine (or available chlorine), isocyanuric acid, pH, REDOX potential, total chlorine

22M1D.2 - Clean water - sent in August 2022 - Refrigerated parcel

conductivity, free chlorine (or available chlorine), isocyanuric acid, pH, REDOX potential, total chlorine

PARTICULARITIES

To evaluate the quality of your sampling, AGLAE conducts tests "In situ measurements and sampling in different types of water" in several regions of Metropolitan France.

➔ Check the programmes 100 (conducted in French only).

In the frame of your accreditation scope, you may also be interested in the programme 1E 'Dissolved oxygen in fresh waters'.